

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L1 | 13598 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and flag\$1 | USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/02/26 12:13 |
| L3 | 1413 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 12:15 |
| L4 | 164 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) and (correctable near3 error\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 12:16 |
| L5 | 145 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) and (correctable near3 error\$1) and identif\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 12:16 |
| L8 | 124 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:17 |
| L13 | 37 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) and syndrome\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 12:23 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| L16 | 36 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) and (EEPROM or erasu\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 12:26 |
| L17 | 56 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 bit\$1) and (interrupt near2 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:20 |
| L18 | 56 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1) near3 bit\$1) and (interrupt near2 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:20 |
| L19 | 1 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1) near3 bit\$1) and (interrupt near2 flag\$1) and (correctable near3 error\$1) and (identif\$5 near4 (bit\$1 or error\$1) near4 location\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:19 |
| L20 | 46 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 bit\$1) and (interrupt near2 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) and abort\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:23 |
| L21 | 11 | (error\$1 near2 (correct\$4 or detect\$4 or check\$4)) and (interrupt near2 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 error\$1) and abort\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:31 |
| L22 | 3 | (error\$1 near2 (correct\$4 or detect\$4 or check\$4)) and (interrupt near2 flag\$1 near2 request) and (correctable near3 error\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:31 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L1 | 13598 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and flag\$1 | USPAT; EPO; JPO; DERWENT | OR | OFF | 2007/02/26 12:13 |
| L3 | 1413 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 12:15 |
| L4 | 164 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) and (correctable near3 error\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 12:16 |
| L5 | 145 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) and (correctable near3 error\$1) and identif\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 12:16 |
| L8 | 124 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:17 |
| L13 | 37 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) and syndrome\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 12:23 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| L16 | 36 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 (bit\$1 or location\$1 or position\$1 or unit\$1 or block\$1 or sector\$1)) and (interrupt\$3 near4 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) and (EEPROM or erasu\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 12:26 |
| L17 | 56 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 bit\$1) and (interrupt near2 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:20 |
| L18 | 56 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1) near3 bit\$1) and (interrupt near2 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:20 |
| L19 | 1 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1) near3 bit\$1) and (interrupt near2 flag\$1) and (correctable near3 error\$1) and (identif\$5 near4 (bit\$1 or error\$1) near4 location\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:19 |
| L20 | 46 | ((error\$1 near2 (correct\$4 or detect\$4 or check\$4)) or (ECC or EDC or FEC)) and ((fail\$3 or error\$1 or fault\$1) near3 bit\$1) and (interrupt near2 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 (bit\$1 or error\$1)) and abort\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:23 |
| L21 | 11 | (error\$1 near2 (correct\$4 or detect\$4 or check\$4)) and (interrupt near2 flag\$1) and (correctable near3 error\$1) and (identif\$5 near3 error\$1) and abort\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:36 |
| L22 | 3 | (error\$1 near2 (correct\$4 or detect\$4 or check\$4)) and (interrupt near2 flag\$1 near2 request) and (correctable near3 error\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:31 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| L23 | 36 | (error\$1 near2 (correct\$4 or detect\$4 or check\$4)) and (interrupt near2 flag\$1) and (correctable adj1 error\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:37 |
| L24 | 40 | (error\$1 near2 (correct\$4 or detect\$4 or check\$4)) and (interrupt near4 flag\$1) and (correctable adj1 error\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:38 |
| L25 | 28 | (error\$1 near2 (correct\$4 or detect\$4 or check\$4)) and (interrupt adj1 flag\$1) and (correctable adj1 error\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/26 13:39 |